

Client:



Kategorie: Switch room, Critical infrastructures.

Grid operator utilises JST technology on the way towards an energy transition



Wind, sun, water – the use of renewable energies should slow down the progress of the climate crisis. The BARD Offshore 1 wind farm in the North Sea is one of the increasing number of decentralised energy sources feeding into the German electricity grid for the transmission system operator Tennet. With individually adapted technical solutions from Jungmann Systemtechnik, Tennet has now created the basis for adapting necessary monitoring and control systems for future developments in the energy market.

The benchmark is well known: By 2030, 65 percent of Germany's electricity consumption is to come from renewable energy sources. Wind, sun, water – the European electricity grid is constantly being optimised for the increasingly decentralised and volatile form of energy generation. As a major player in the energy market, Tennet plays a decisive role in keeping the balance between the energy fed into the grid and the energy called off.

“KVM Matrix” project launched

Tennet’s primary objective continues to be the guarantee of a secure and uninterrupted supply of electricity during the transport of electricity from the producer to the consumer, also against the backdrop of the energy transition. In order to meet this demand, the company has launched the “KVM Matrix” project (KVM = Keyboard, Video, Mouse). The KVM solution allows for a seamless and trouble-free energy supply thanks to outstanding monitoring and control systems. With the help of JST’s control room specialists, two control rooms at the two sites near Munich and Hanover were equipped to move forward on a sustainable path of energy use.

Power supply had to be secured constantly

The key challenge for the elementary step on this route: the existing PSI control system, a solution developed specifically for energy suppliers, had to be completely renewed. It was necessary to allow parallel operation at this point in order to avoid impairments in Germany’s power supply. The “old PSI” and “new PSI” had to be able to be operated side by side by the Tennet team without any performance restrictions – although without having to monitor a confusing number of monitors.

Equally constructive and reliable solution

Project manager Patrick Bernasch-Mellech: “That’s when the idea of building a large redundant system for onshore operation was born.” With the JST MultiConsoling®, the people responsible for this classic migration project have found a solution that is both constructive and reliable. This concept makes it possible to access both systems equally by simply switching back and forth. As a result, the conversion process could be carried out without the additional monitoring monitors mentioned above.

Clear judgement following “proof of concept

A “proof of concept” was used to demonstrate that the desired benefit is actually realisable. The Tennet control center employees were also familiarised with the new technology this way. Patrick Bernasch-Mellech, responsible for network and data management, explains: “With the PoC, we asked our colleagues about the acceptance of the system. Each employee was able to check what the added value was for him or her. I know from past system integrations that the whole thing can be technically sophisticated – if a system is not accepted by the Control Center, you will have problems.”

Highest security for remote access

Besides the question of a technically feasible solution and the approval of staff, the Jungmann team had to deliver another prerequisite: absolute safety. Appropriate solutions were found for the required remote maintenance access by JST experts – based on maximum security requirements specified by the BSI (Federal Office for Information Security).

JST KVM is part of the most critical application

Patrick Bernasch-Mellech: “Since JST’s KVM is now part of our really most critical application, the highest security requirements apply. If the matrix fails, we don’t have a control system any longer.” He describes what this could mean in an example: “If the control center does not notice that power lines are overloaded because wind fronts are blowing in, then certain areas of the country could suddenly lose their power supply. Therefore, the matrix must be absolutely fail-safe.” Against this background, the geo-redundant sites in the north and south of Germany were additionally equipped with multiple redundancy systems to ensure maximum availability.

Looking back on the procedure within a European tender process, the project manager states: “JST’s presentation of service and intervention options was quite simply the best and had us completely convinced.”

Flexible and barrier-free access to subsystems

He also regards the use of JST technology beyond the parallel operation of the control system itself to be a real gain: in addition to the PSI application, the MultiConsoling® can be used to flexibly connect the necessary subsystems. “The colleagues switch back and forth quickly and without barriers. Be it weather reports or power plant deployments – they access all the important details about the situation in the German power grid,” explains Patrick Bernasch-Mellech. A special feature: When subsystems are connected, the myGUI® user interface automatically switches to the “view only mode”. The control system is still visible, but cannot be operated. Potential input errors occurring in the background, which could at worst plunge a city like Hamburg into darkness, are eliminated.

Praise for fair and open dealings with each other


The network and data management specialist is as satisfied with the cooperation to date as he is with the performance of the technical solutions: “I have not had a single case since the commissioning where I had to go home with a bad feeling about something,” Patrick Bernasch-Mellech reports about his experience with the service qualities of JST, “the entire course of the project was characterised by very fair and open interaction.



"The specifications for the project were clear right at the start: maximum availability and one hundred percent full redundancy had to be guaranteed. These high demands are also reflected in the corresponding service level agreement for the operation of the system. A requirement that our experienced service team fulfils brilliantly!"

Volker Weimer

Consultant & Maintenance (JST)



"This demanding project called for customised solutions due to the extensive security requirements, which our programming team was able to implement in the myGUI®."

These additional security features now benefit all JST customers as we have integrated them as an integral part of our components."

Christian Beck

Head of Technics (JST)



"This project has once again demonstrated how well the individual disciplines work together under the Jungmann Systemtechnik umbrella, and how seamlessly one wheel meshes with the next. Development, technology and sales - a project as extensive as this can only be brought to a successful conclusion if everyone contributes."

Oliver Bender

Consultant (JST)

REQUEST AN OFFER WITHOUT OBLIGATION

The components used in this project:



MultiConsoling[®] System – complete control room system for workplace, monitor wall and other systems

<https://www.jungmann.de/>



myGUI® user interface - in the intuitive 3D design of your control room for maximum user comfort



PixelDetection® – proactive alarm software to shorten response times



CockpitView – dashboard function to compile the most important systems on one monitor



myLogin® - security concept with an automated sign-in and sign-out process


ControlRoom-Automation – safe and fast processing of alarms

ControlRoom-Remote – an elegant solution for integrating decentralised structures, systems and locations

MouseRadar – more visibility for your mouse cursor

Complete Audio Package


Other projects with a similar task



ovag Netz GmbH, Bad Nauheim



[Find out more](#)



IT.NRW, Düsseldorf

[Find out more](#)



Autorisierte Stelle Digitalfunk Niedersachsen



[Find out more](#)